



Bosca Poist Uimhir 27,
Aras an Chontae,
Cnoc na Radharc,
Gaillimh

Telephone:

(091) 509308

Fax:

(091) 509199

Email:

planning@galwaycoco.ie

Preplanning@galwaycoco.ie

Eplanning@galwaycoco.ie

Web:

www.galway.ie

Comhairle Chontae na Gaillimhe
Galway County Council

23/60

28/02/2023

Coillte Teoranta
Pamela Harty MKO
Tuam Road
Galway
H91 VW84



RE: Application for PERMISSION For a ten-year planning permission consisting of:

- i. The felling/removal of some 343 hectares of conifer plantation for the purposes of peatland restoration and the establishment of native woodland.
- ii. Measures to restore and rehabilitate approximately 281 hectares of Atlantic blanket bog and heathland that is currently planted with lodgepole pine and Sitka spruce forests and managed for commercial forestry.
- iii. Conversion of 62 hectares of conifer forestry to native woodland.
- iv. Main peatland restoration measures will include tree removal, drain blocking (manual and mechanical) and ground reprofiling.
- v. The control of existing invasive species on site and continued control during the restoration works to prevent their spread.
- vi. Drain-blocking all existing artificial drainage and artificial land drains currently existing within the peatland restoration areas in order to restore the high water table which is necessary for blanket bog growth.
- vii. Provision of silt traps at outflows to block the pathway to the Twelve Bens/Garraun Complex Special Area of Conservation.
- viii. Deer fencing to protect 62 hectares of proposed native woodland.
- ix. Provision of a Harvest Management Phasing Plan for the proposed project.
- x. Provision of new internal access road extending to 1.58 km.
- xi. Across the site there will be 4 no. temporary water-crossings constructed in order to facilitate the harvesting of the timber at the site.
- xii. Provision of informational signage.
- xiii. Resurfacing of up to 8.23 km of existing forestry roads.
- xiv. Resurfacing of existing car park to facilitate public access.
- xv. Installation of water monitoring stations for real time water monitoring during operations.
- xvi. Cutting of roadside trees to improved sightline visibility at site entrance.

xvii. The application is supported by an Environmental Impact Assessment Report (EIAR) and a Natura Impact Statement (NIS) in the townland of Derryclare and Cloonnacartan received on 23/02/2023.

Uimhir Thagartha Pleanála/Planning Reference No: 23/60

A Chara,

Is mian liom a adhmháil go bhfuair muid iarratas uait maidir leis an ábhar thuas. Tá an t-iarratas á mheas faoi láthair agus beidh muid i dteagmháil leat comh luath agus is féidir.

Má bhíonn tuilleadh eolais uait ón oifig seo, luaigh an Uimhir Thagartha Pleanála.

I wish to acknowledge receipt of your application in relation to the above. This planning application is now under active consideration and further correspondence will issue to you at the earliest possible date.

Please quote the Planning Reference Number, as shown, in any future enquiries with this office.

Mise le meas,

E. Keaveney

PLANNING SECTION

Application Type: PERMISSION

Townland: Derryclare and Cloonnacartan

Application Received On: 23/02/2023

Decision Due Date: 19/04/2023

Applicant Name: Coillte Teoranta

Description of Development: **Application for PERMISSION For a ten-year planning permission consisting of:**

- i. The felling/removal of some 343 hectares of conifer plantation for the purposes of peatland restoration and the establishment of native woodland.**
- ii. Measures to restore and rehabilitate approximately 281 hectares of Atlantic blanket bog and heathland that is currently planted with lodgepole pine and Sitka spruce forests and managed for commercial forestry.**
- iii. Conversion of 62 hectares of conifer forestry to native woodland.**
- iv. Main peatland restoration measures will include tree removal, drain blocking (manual and mechanical) and ground reprofiling.**
- v. The control of existing invasive species on site and continued control during the restoration works to prevent their spread.**
- vi. Drain-blocking all existing artificial drainage and artificial land drains currently existing within the peatland restoration areas in order to restore the high water table which is necessary for blanket bog growth.**
- vii. Provision of silt traps at outflows to block the pathway to the Twelve Bens/Garraun Complex Special Area of Conservation.**
- viii. Deer fencing to protect 62 hectares of proposed native woodland.**
- ix. Provision of a Harvest Management Phasing Plan for the proposed project.**
- x. Provision of new internal access road extending to 1.58 km.**
- xi. Across the site there will be 4 no. temporary water-crossings constructed in order to facilitate the harvesting of the timber at the site.**
- xii. Provision of informational signage.**
- xiii. Resurfacing of up to 8.23 km of existing forestry roads.**
- xiv. Resurfacing of existing car park to facilitate public access.**
- xv. Installation of water monitoring stations for real time water monitoring during operations.**
- xvi. Cutting of roadside trees to improved sightline visibility at site entrance.**
- xvii. The application is supported by an Environmental Impact Assessment Report (EIAR) and a Natura Impact Statement (NIS) in the townland of Derryclare and Cloonnacartan.**

Keyed

DOCUMENT -**Application Form & EPA**

- 22(1) Is the application form fully completed? ☒
- 22(4)(b)(i) Is a statement of existing use and proposed use enclosed, if applicable? ☒
- 22(2) c Is evidence of Site Suitability enclosed? ☒
- 22(2) c Is information on treatment system (site specific) enclosed? ☒
- 22(2) g Is there a letter of consent from owner of site if applicant is not the legal owner? ☒

Remarks**Section 96**

- Is the development for 1-4 housing units? ☒
- Is the development for housing on land of less than 0.1 hectares? ☒
- If 'yes' has a -Certificate of Exemption- been applied for? ☒
- Is the development for 5 or more housing units? ☒
- If 'yes' have they consulted with the housing section re PART V of the Act? ☒

PUBLIC NOTICES -**Newspaper**

- 18(1) Has the application been lodged within 2 weeks of date on newspaper? ☒
- Is the advertisement in one of the required newspapers? ☒
- Has the location, townland or postal address been stated? ☒
- Does the public notice contain correct information? ☒
- 22(2) (a) Has the original full page (or full page copy) of the newspaper been submitted? ☒

Site Notice

- 22(2)(a) Has the site notice been submitted on correct colour? ☒
- 17(1)(b) Has the application been lodged within 2 weeks of the date on site notice? ☒
- Is the signature of the applicant on the site notice? ☒
- Is the signature and address of the agent on the site notice? ☒
- Does the site notice include development description and address? ☒

OSI Maps

- 22(2)(b) Is there 6 Location Maps scale not less than 1:2500? ☒
- 23(1) g Is Ordinance survey sheet No. stated on all location maps? ☒
- 23(1) h Is the North Point shown on all location maps? ☒
- 22(2)(b)(i) Is the site outlined in red on all location maps? ☒

Site Layout Drawings

- 23(1)A&22(4)(a) Is there 6 copies of a site layout drawing? (1:50, 1:100, 1:200, 1:500 only) ☒
- 23(1) a Is the site outlined in red on all site layout drawings? ☒
- 23(1) h Is the North point shown on all site layout drawings? ☒
- 23(1) f Have dimensions been shown from front & side boundary to proposal? ☒
- 23(1) a Is the position of the proposal & services shown on the site layout? ☒
- 23(1) c Are levels or contour lines shown on the site layout? ☒
- Is the finished floor level shown on the site layout or on floor plans? ☒
- 23(1)(a)&(d) Have adjacent buildings or features been shown? ☒
- 22(2)(b)(iv) Is the position of site notice shown on the site layout or location maps? ☒

Conservation

- 23(2) Is the proposal within an Architectural Conservation Area OR a Protected structure? ☒

(If 'Yes' it must be accompanied by such photographs, plans and other particulars to show how it affects the character of the structure)

PLANS, ELEVATIONS & SECTIONS -

- 22(2) d Is there 6 copies of plans, all elevations & cross section? ☒
- 23(1) b Is the scale stated on all drawings & is it correct when measured? (1:50, 1:100, 1:200) ☒
- 23(1) f Are principal dimensions shown on drawings and are they in metric? ☒
- Is the overall height shown on elevations or the cross section? ☒
- 23(1) e Are plans elevations colored or marked to identify existing & proposed? ☒

Minimum Fee Required: € 34,800 Townland: Peryckree & Cloonacorta

Description: Peatland restoration project - see disc

INVALID VALID ☒

Pro. Area: House/s: _____ Garage: _____ Extension: _____ Agri: _____ Comm/Ind: _____

Ext. Area: House: _____ Garage: _____ Demolish: _____ Agri: _____ Comm/Ind: _____

Site Area: 348 Class: 13 In: 4 Water: PM / GWS / Well Sewerage: ST / WWTP / PM Date: 24/2/2023 Signed: RL

Foirm Iarratas Pleanála



Comhairle Chontae na Gaillimhe
Galway County Council

Planning Application Form

Tá an fhoirm seo le fáil i gcló mór chomh maith

This form is also available in large print

Tá míle fáilte an fhoirm seo a líonadh i nGaeilge


1. Láthair na Forbartha atá Beartaithe		1. Proposed Development Details
Láthair	Location	Derryclare, County Galway.
Seoladh poist nó baile fearainn	Postal Address or Townland	Townlands of Derryclare and Cloonnacartan Co. Galway
Cód Poist	Postcode	
Uimh. tag. mapa suir-bhéireacht ordanáis (agus tagairt eangaí má tá ar fáil)	Ordnance Survey Map Ref No (and Grid where available)	X: 483983 Y: 752823 Sheet no.s: 2730, 2731, 2798, 2799, 2866, 2867

2. Cineál an cheada atá á lorg. Cuir tic mar is cuí (✓)	2. Type of permission Sought. Please tick (✓)
(a) Cead	(a) Permission ☒
(b) Cead imlínithe	(b) Outline Permission ☐
(c) Cead tar éis do chead imlínithe a bheith tugtha	(c) Permission Consequent on Grant of Outline ☐
(d) Cead coinneála	(d) Permission for Retention ☐

3. San áit go bhfuil cead pleanála tar éis do chead imlínithe a bheith tugtha:	3. Where Planning Permission is Consequent on Grant of Outline Permission
Uimh. tagartha cead imlínithe	Outline permission Reference No N/A
Dáta a ceadaíodh cead imlínithe	Date of grant outline permission N/A

4. Iarratasóir (ní an gníomhaire). Caithfear seoladh a thabhairt ag deireadh an fhoirm (ceist 22)	4. Applicant (Not Agent) Address Should be given later in form (COMMENT SECTION Question 22)
Ainm	Name
	Coillte Teoranta

Úsáid oifige amháin	For Office Use Only
Uimhir fáltair	Receipt Number
Táille íoctha	Fee Paid
Dáta	Date



Uimh. Thag	Ref No.

Stampa an dáta	Date Stamp

Seirbhísí Custaiméara Chomhairle Chontae na Gaillimhe – Cultúr barr feabhais a chothú i ndáil le soláthar Seirbhísí Custaiméara
Galway County Council Customer Services – To foster a culture of excellence in delivering Customer Services

5. Sa gcás gur comhlacht atá san iarratasóir (cláraithe faoi Acht na gCuideachta 1963 go 1999)		5. Where applicant is a company (registered under the Companies Acts 1963 to 1999)
Ainmneacha Stiúrthóirí na Cuideachta	Names of Company Directors	Bernie Gray, Imelda Hurley, Eleanor O'Neill
Seoladh Cláraithe na Cuideachta	Registered Address of Company	Dublin Road Newtownmountkennedy, Co. Wicklow
Uimh. Chlárúcháin Oifige na Cuideachta	Company Office Registration No.	138108
Guthán	Telephone	
Facs	Fax	
R-phost	Email	

6. Duine / gníomhaire ag feidhmiú thar ceann an iarratasóra (más ann dó)		6. Person / agent acting on behalf of applicant (if any)
Ainm	Name	McCarthy Keville O'Sullivan Ltd (MKO)

7. An duine atá freagrach as réiteach na líníochtaí agus pleananna		7. Person responsible for preparation of drawings and plans
Ainm	Name	McCarthy Keville O'Sullivan Ltd (MKO)

8. Cur síos ar an bhforbairt beartaithe. Cur síos ghairid ar nádúr agus méid na forbartha chomh maith le tagairt do uimhir agus airde na bhfoirgneamh, struchtúir faoi chosain & srl.	8. Description of proposed development. Brief description of nature and extent of development including reference to the number and height of buildings, protected structures etc.
--	---

Peatland restoration project. Please find the complete development description attached to this form.

9. Suim dlíthiúil an iarratasóra sa talamh nó struchtúr (Cuir tic sa mbosca cuí chun suim dlíthiúil an iarratasóra sa talamh nó struchtúr a thaispeáint)	9. Legal interest of applicant in the land or structure (Tick the box to indicate the legal interest of the applicant in the land or the structure)
(a) Úinéir	(a) Owner ☒
(b) Áititheoir	(b) Occupier ☐
(c) Eile (más 'Eile', tabhair tuilleadh eolais)	(c) Other (if 'Other' please expand further below) ☐

The registered owner, Coillte Cuideachta Ghníomhaíochta Ainmnithe, is the same entity as the applicant, Coillte Teoranta. The applicant is therefore a legal owner of the site.

Mura tú an úinéir dlíthiúil le do thoil, tabhair ainm an úinéara thíos. Caithfear seoladh an úinéara a thabhairt ag deireadh an fhoirm seo (Ceist 25) agus caithfidh litir toiligh ón úinéir ag ceadú duit an iarratas seo a dhéanamh a bheith istigh leis na doiciméid tionlacain.		If you are not the legal owner, please state the name of the owner below. The owner's address must be included at the end of this form (Question 25) and a letter of consent from the owner of consent to make the application must be supplied as listed in the accompanying documentation.
Ainm an Úinéara	Owner's Name	

10. Achar an tSuímh	10. Site Area
Achar an tsuímh a mbaineann an iarratas leis i heicteáir	Area of site to which the application relates in hectares 348

11. Sa gcás go mbaineann an t-iarratas le foirgneamh nó foirgnimh	11. Where the application relates to a building or buildings
Spás urláir comhlán aon fhoirgneamh atá ann cheana i m²	Gross floor space of any existing building(s) in m ² N/A
Spás urláir comhlán na n-oibreacha beartaithe i m²	Gross floor space of proposed works in m ² N/A
Spás urláir comhlán na hoibre atá le coinneáil i m² (más cuí)	Gross floor space of work to be retained in m ² (if appropriate) N/A
Spás urláir comhlán d'aon scartáil i m² (más cuí)	Gross floor space of any demolition in m ² (if appropriate) N/A

12. I gcás forbairt mheasctha (m.sh. cónaitheach, tráchtála, tionsclaíoch & srl), tabhair an briseadh síos ar na cineálacha forbartha éagsúla agus an achar urláir comhlán do gach cineál:	12. In the case of mixed development (e.g. residential, commercial, industrial, etc), please provide breakdown of the different classes of development and breakdown of the gross floor area of each class of development:
Cineál forbairt/Class of Development	Achar urláir comhlán i m²/Gross floor area in m²
N/A	N/A
N/A	N/A
N/A	N/A

13. I gcás forbairt cónaitheach tabhair briseadh síos an measctha cónaitheach					13. In the case of residential development please provide breakdown of residential mix		
Líon/ Number of	Stiúideo/ Studio	1 leaba 1 bed	2 leaba 2 bed	3 leaba 3 bed	4 leaba 4 bed	4+ leaba 4+ bed	Iomlán/ Total
Tithe/ Houses	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Árasáin/ Apartments	N/A	N/A	N/A	N/A	N/A	N/A	N/A

Líon spásanna páirceála a sholáthrófar		No. of car parking spaces to be provided
Reatha	Existing	N/A
Beartaithe	Proposed	N/A

14. Sa gcás a mbaineann an iarratas le hathrú ábhartha úsáide aon talamh nó struchtúr nó cead coinneáil a leithéid d'athrú ábhartha úsáide:		14. Where the application refers to a material change of use of any land or structure or the retention of such a material change of use:
Úsáid reatha (nó úsáid roimhe seo áit gur cead coinneáil atá á chuardach)	Existing use (or previous use where retention permission is sought)	N/A
Úsáid beartaithe (nó úsáid atá sé beartaithe a choinneáil)	Proposed use (or use it is proposed to retain)	N/A
Nádúr agus réimse a leithéid d'athrú úsáid beartaithe (nó úsáid atá sé beartaithe a choinneáil)	Nature and extent of any such proposed use (or use it is proposed to retain)	N/A

15. Tithíocht shóisialta agus ar phraghas réasúnta (Cuir tic sa mbosca cuí)		15. Social and affordable housing (Please tick appropriately)
An iarratas í an t-iarratas seo ar chead do fhorbairt lena mbaineann Páirt V den Acht Pleanála agus Forbartha 2000?	Is the application an application for permission for development to which Part V of the Planning and Development Act 2000 applies?	Tá/Yes ☐
		Níl/No ☒

Más “sea” an freagra ar an gceist thuas agus más forbairt í nach bhfuil faoi dhíolúine (féach thíos) caithfidh tú sonraí a thabhairt mar chuid do d'iarratas ar an mbealach a bhfuil sé i gceist agat cloí le halt 96 de Chuid V den Acht, mar shampla, (i) sonraí a leithéid de chuid nó codanna den talamh atá de réir an iarratais ar chead nó atá sonraithe ag an gcomhaontú Cuid V, nó tithe lonnaithe ar a leithéid de thalamh thuasluaite nó in áit eile i gceantar feidhme an údaráis pleanála atá le n-aistriú chuig an údarás pleanála, nó sonraí tithe lonnaithe ar a leithéid de thalamh thuasluaite nó in áit eile i gceantar feidhme an údaráis pleanála atá beartaithe a thabhairt ar léas don údarás áitiúil, nó sonraí aon chomhcheangal den mhéid roimhe seo, agus (ii) sonraí na náirimh agus modheolaíochta do ríomh luachanna na talún, costais suímh, gnáth chostais tógála agus forbartha agus brabach ar na costais sin agus costais gaolmhara eile cosúil le	If the answer to the above question is “yes” and the development is not exempt (see below), you must specify, as part of your application, the manner in which you propose to comply with section 96 of Part V of the Act including, for example, (i) details of such part or parts of the land which is subject to the application for permission or is or are specified by the Part V agreement, or houses situated on such aforementioned land or elsewhere in the planning authority's functional area proposed to be transferred to the planning authority, or details of houses situated on such aforementioned land or elsewhere in the planning authority's functional area proposed to be leased to the planning authority, or details of any combination of the foregoing, and (ii) details of the calculations and methodology for calculating values of land, site costs, normal construction and development costs and profit on those costs and other related costs such as an appropriate share of any
--	--

Seirbhísí Custaiméara Chomhairle Chontae na Gaillimhe – Cultúr barr feabhais a chothú i ndáil le soláthar Seirbhísí Custaiméara
Galway County Council Customer Services – To foster a culture of excellence in delivering Customer Services

scar cuí d'aon oibreacha forbartha comónta de réir mar is gá chun cloí le forálacha Cuid V den Acht." Más "sea" an freagra ar an gceist thuas ach measann tú an fhorbairt a bheith faoi díolúine de bharr alt 97 den Acht, caithfear cóip den Teastas Díolúine faoi alt 97 a chuir isteach (nó, san áit go bhfuil iarratas ar theastas díolúine déanta ach nach bhfuil cinneadh déanta fós air ba cheart cóip den iarratas a chuir isteach freisin). Más "ní hea" an freagra ar an gceist thuas de bharr Alt 96 (13) den Acht, ba cheart sonraí ag léiriú an bunús ar a mbraitear go mbaineann alt 96(13) leis an bhforbairt a chuir isteach.	common development works as required to comply with the provisions in Part V of the Act." If the answer to the above question is "yes" but you consider the development to be exempt by virtue of section 97 of the Act, a copy of the Certificate of Exemption under section 97 must be submitted (or, where an application for a certificate of exemption has been made but has not yet been decided, a copy of the application should be submitted). If the answer to the above question is "no" by virtue of Section 96(13) of the Act, details indicating the basis on which section 96(13) is considered to apply to the development should be submitted.
--	--

16. Sonraí na forbartha (cuir tic mar is cuí)	16. Development details (Please tick appropriately)	
An bhfuil obair ar struchtúr faoi chosaint agus/nó a chúirtealáiste nó struchtúir faoi chosaint beartaithe agus/nó a gcúirtealáiste san áireamh sa bhforbairt beartaithe?	Does the proposed development consist of work to a protected structure and/or its curtilage or proposed protected structure and/or its curtilage?	Tá/Yes ☐ Níl/No ☒
An bhfuil obair ar thaobh amuigh struchtúr atá lonnaithe laistigh de cheantar caomhnaithe ailtireachta (CCA) san áireamh sa bhforbairt beartaithe?	Does the proposed development consist of work to the exterior of a structure which is located within an architectural conservation area (ACA)?	Tá/Yes ☐ Níl/No ☒
An bhfuil baint ag an iarratas le forbairt a chuireann isteach air nó atá i ngar do shéadchomhartha nó áit atá ar thaifead faoi alt 12 de Acht na Séadchomharthaí Náisiúnta (Leasú), 1994?	Does the application relate to development which affects or is close to a monument or place recorded under section 12 of the National Monuments (Amendment) Act, 1994?	Tá/Yes ☒ Níl/No ☐
An bhfuil baint ag an iarratas le hobair laistigh de nó gar do Shuíomh Eorpach (faoi I.R. Uimh.94 de 1997) nó Ceantar Oidhreacht Náidúrtha?	Does the application relate to work within or close to a European Site (under S.I. No. 94 of 1997) or a Natural Heritage Area?	Tá/Yes ☒ Níl/No ☐
An bhfuil sé riachtanach Ráiteas Tionchar Timpeallachta a réiteach don fhorbairt bheartaithe?	Does the proposed development require the preparation of an Environmental Impact Statement?	Tá/Yes ☒ Níl/No ☐

An bhfuil baint ag an iarratas le forbairt a chuimsíonn nó atá do chuspóir gníomhaíocht a bhfuil ceadúnas cosc agus smachtú comhtháite truaillithe riachtanach dó?	Does the application relate to a development which comprises or is for the purpose of an activity requiring an integrated pollution prevention and control licence?	Tá/Yes ☐ Níl/No ☒
An bhfuil baint ag an iarratas le forbairt a chuimsíonn nó atá le haghaidh do chuspóir gníomhaíocht a bhfuil ceadúnas dramhaíola riachtanach dó?	Does the application relate to a development which comprises or is for the purposes of an activity requiring a waste licence?	Tá/Yes ☐ Níl/No ☒
An bhfuil baint ag na Rialacháin Mórthionóiscí leis an bhforbairt beartaithe?	Do the Major Accident Regulations apply to the proposed development?	Tá/Yes ☐ Níl/No ☒
An bhfuil baint ag an iarratas le forbairt i gCrios Forbartha Straitéiseach?	Does the application relate to a development in a Strategic Development Zone?	Tá/Yes ☐ Níl/No ☒
An bhfuil scartáil teach ináitrithe i gceist sa bhforbairt beartaithe?	Does the proposed development involve the demolition of any habitable house?	Tá/Yes ☐ Níl/No ☒

17. Stair an tsuímh Sonraí maidir le stair an tsuímh (Má tá ar eolas)	17. Site history Details regarding site history (if known)
a. Go bhfios duit, an raibh an suíomh atá i gceist faoi uisce tuilte riamh? Má bhí, tabhair sonraí le do thoil, m.sh. bliain, méid na dtuilte, srl.	a. Has the site in question ever, to your knowledge, been flooded? If yes, please give details e.g. year, extent, etc.
	Tá/Yes ☐ Níl/No ☒
b. An bhfuil eolas agat ar aon úsáid a baineadh as an suíomh roimh seo m.sh. dumpáil nó cairéalú? Má tá, tabhair sonraí:	b. Are you aware of previous uses of the site e.g. dumping or quarrying? If yes, give details:
	Tá/Yes ☐ Níl/No ☒

c. An bhfuil eolas agat ar aon iarratais phleanála bhailí a déanadh roimhe seo maidir leis an talamh / struchtúr seo? Má tá, luaigh an uimhir (na huimhreacha) tagartha phleanála agus an dáta(na dátaí) a fuair an t-údarás phleanála an t-iarratas (na hiarratais) más eol sin duit:		c. Are you aware of any valid planning applications previously made in respect of this land/structure? If yes, please give planning reference number(s) and the date(s) of receipt of the planning application(s) by the planning authority if known:	Tá/Yes ☒ Níl/No ☐
Uimh. tagartha	Reference Number	952407	
Dáta	Date	14/12/1995	
Má déanadh iarratas bailí phleanála i leith an talamh nó struchtúr seo sna 6 mhí roimh lóisteáil an iarratas phleanála seo, caithfidh an fógra suímh a bheith ar chúlra buí de réir Airteagal 19(4) de na Rialacháin Pleanála 2001 go 2006.		If a valid planning application has been made in respect of this land or structure in the 6 months prior to the submission of this application, then the site notice must be on a yellow background in accordance with Article 19(4) of the Planning Regulations 2001 to 2006.	

d. An bhfuil suíomh na forbartha beartaithe mar ábhar achomhairc chuig an mBord Pleanála maidir le forbairt den chineál céanna? Má tá, tabhair uimh. thagartha An Bhoird Phleanála	d. Is the site of the proposal subject to a current appeal to An Bord Pleanála in respect of a similar development? If yes, please state An Bord Pleanála Reference No:	Tá/Yes ☐ Níl/No ☒
Uimh. tagartha An Bord Pleanála:	An Bord Pleanála Reference No:	

18. Comhairliúchán réamhiarratais		18. Pre-application consultation	
Ar tharla comhairliúchán réamhiarratais de réir S 247 den Acht Pleanála agus Forbartha 2000? (Tá comhairle den tsóirt seo roghnach).		Has a pre- application consultation in accordance with S 247 of the Planning & Development Act 2000, taken place? (Such consultation is optional).	Tá/Yes ☒ Níl/No ☐
Má tharla, luaigh dáta an chruinnithe		If yes, please state date of meeting:	04.10.2022 onsite
Daoine rannpháirteach:	Persons involved: Alan O'Connell, Michael Owens, Ciaran Wryne		
Uimh. Thagartha:	Reference Number:	N/A	

19. Seirbhísí		19. Services	
Foinse soláthar uisce beartaithe (Cuir tic sna spásanna cuí)		Proposed source of water supply (please tick as appropriate)	
Ceangal reatha	Existing connection		
Grúpscéim uisce	Group water scheme		
Ceangal reatha	New connection		
Grúpscéim uisce	Private well		
Príomh fhíobán uisce poiblí	Public mains		
Eile (sonraigh le do thoil)	Other (please specify)		
N/A			

Ainm an Ghrúpscéim Uisce (san áit gur cuí)	Name of group water scheme (where applicable):	N/A
--	--	-----

Bainistiú/Cóiriú Fuíoll uisce Beartaithe: (cuir tic sna spásanna cuí)	Proposed wastewater management / treatment (tick as appropriate)
Reatha	Existing
Séarach poiblí	Public sewer
Nua	New
Gnáth chóras tanc séarachais	Conventional septic tank system
Sonraigh le do thoil	Other on-site treatment
Más eile (sonraigh le do thoil)	If other, please specify
N/A	

Diúscairt Uisce Dromchla Beartaithe: (cuir tic sna spádanna cuí)	Proposed surface water disposal: (tick as appropriate)
Séarach/draein poiblí	Public sewer / drain
Poll maothaithe	Soakpit
Cúrsa uisce	Watercourse
Eile	Other
Más eile (sonraigh le do thoil)	If other (please specify)
N/A	

20. Sonraí an fhógra poiblí	20. Details of Public Notice
Nuachtán ceadaithe inar foilsíodh an fógra	Approved newspaper in which notice was published
Dáta foilsithe	Date of publication
Dáta ar cuireadh suas an fógra suímh	Date on which site notice was erected
	Connacht Tribune
	17/02/2023
	16/02/2023

21. Táille iarratais	21. Application Fee
Táille iníoctha	Fee payable
Bunús an ríomha	Basis of calculation
	€34,800
	Class 13

Dearbhaím leis seo, chomh maith gur eol dom agus go gcreidim, go bhfuil an t-eolas tugtha sa bhfoirm seo ceart agus cruinn agus ag cloí go hiomlán leis an Acht um Phleanáil & Forbairt 2000, mar atá leasaithe, agus na Rialacháin atá déanta faoin Acht sin:	I hereby declare that to the best of my knowledge and belief, the information given in this form is correct and accurate and fully compliant with the Planning & Development Act 2000 as amended, and the Regulations made thereunder:
Síniú (iarratasóir/gníomhaire)	Signature (applicant/agent)
Dáta	Date
	17/02/2023